



CANNABIS-DRYING.COM

DRIVEN BY INNOVATION

HIGHER CONSISTENCY

HIGHER QUALITY

SPACE EFFICIENT

GMP & GACP

Better & More Control

Established 1974 • Selling in Six Continents

Drying & Curing Installations
For Cannabis



CANNABIS-DRYING.COM
DRIVEN BY INNOVATION

ABOUT US

Why Drying Matters

Drying is the most critical step in cannabis production, where 3 months of hard work in cultivation can be compromised in just 7-10 days.

Proper drying preserves cannabinoids, terpenes, and overall product quality while eliminating mold and bacteria risks. Giving the end customer the ultimate experience!

Agratechniek (www.agratechniek.com) has 50 years of experience in drying agricultural produce. With drying driven by innovation, our systems are installed globally. Specializing in drying flower bulbs, seeds, garlic, and onions amongst many other crops.



Hemp-drying.com, offers energy-efficient, precise, and controlled drying and retting solutions for the sustainable industrial hemp crop. To transform your fresh harvest into premium quality hemp materials demanded by the market.



Hop-Drying.com is applying the knowledge and experience to improve the efficiency, sustainability and quality of the aromatic plant hops. By applying our advanced controlling and conditioning technology.



10 years ago Cannabis-drying.com was founded. Taking the innovations by Agratechniek, and elevating it to provide specialized drying equipment for medicinal and recreational cannabis (www.cannabis-drying.com).

Our ABC Processor With 50 years of experience behind it and 2 decades of development, the ABC processor is the heart of our drying systems. It enables precise control over temperature, humidity, and airflow through five drying stages. This ensures consistency and high-quality results for every batch.

Homogeneous drying result: At the end of each drying cycle, all the product will be homogeneously dried to the desired moisture content.

Custom Solutions for Every Market We deliver:

- **GMP Systems:** Complete with necessary documentation for medicinal-grade cannabis.
- **GACP Systems:** Tailored for high-quality recreational or medical cannabis.
- **Recreational Market Systems:** Cost-effective solutions for general use.



Managing Partner
Nick Abbingh

- ☎ +31 6 821 32 371
- ✉ Nick@Cannabis-Drying.com
- 🌐 Nick Abbingh
- 🌐 Cannabis-Drying.com



📍 Kruiswijk 4, 1761 AR Anna Paulowna,
The Netherlands

DRYING THEORY

HOW TO DRY EFFICIENTLY?

For air to hold water, the water molecules need to move, which requires energy. This energy comes from the air's temperature. So, warmer air can hold more moisture because it has more energy.

Absolute Humidity (AH) is the amount of water, in grams, in one kilogram of air. Relative Humidity (RH) is the percentage of how much water the air currently holds compared to the maximum it can hold.

The table shows that at 2 degrees Celsius, 4.36 grams of water per kilogram of air means the air is completely saturated with moisture (100% Relative Humidity). But at 12 degrees Celsius, the same amount of water only saturates the air halfway (50% Relative Humidity).

Relative Humidity % (RH)	100%	T° C/F
Absolute Humidity g water / kg air (AH)	4.36	2° 35.6°
	4.36	12° 53.6°
Relative Humidity % (RH)	50%	T° C/F

Drying in 5 stages



Stage 1: Freshly harvested cannabis has ~80% moisture. In the first 24 hours, we remove half to prevent mold, using low humidity and strong airflow. The stage ends after a set time.

Stage 2: After Stage 1, the outer shell is dry, but the inside isn't. To rebalance, humidity is increased. This stage ends when incoming and outgoing air have the same humidity, ensuring uniform drying.

Stage 3 & 4: To dry the product further to the desired moisture content, a lower humidity and airflow is set in stage 3 & 4. Both stages end once the incoming and outgoing humidity is the same, indicating homogeneous drying.

Stage 5: After a certain amount in stage 5 a desired equilibrium is reached. Once this is reached all the product will be dried to the desired moisture content.

Stage setup in the ABC processor:

This is an example of how the settings of the 5 stages can be set.

A different humidity, airflow, temperature and duration can be set for each stage.

	Stage1	Stage 2	Stage 3	Stage 4	Stage 5
Active stage	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stage on/off	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Final AH	8.3 gr	9.3 gr	8.3 gr	7.6 gr	7.3 gr
Calc. target RV	65 %	72 %	65 %	59 %	57 %
Delta AH	0.0 gr	0.0 gr	0.0 gr	0.0 gr	0.0 gr
Desired T°	18.0 C	18.0 C	18.0 C	18.0 C	18.0 C
Min. airflow	40 %	25 %	20 %	10 %	0 %
Max. airflow	90 %	70 %	50 %	35 %	20 %
Min. period	10 day	10 day	10 day	10 day	0.3 day
Max. period	12 day	15 day	15 day	15 day	4.0 day
Time duration	12 day	11 day	12 day	13 day	11 day
Total period stage 1.5		1415 hrs			

ABC-SOFTWARE PROPERTIES

- Remote access with laptop, touch screen at the drying installation
- Sensors monitor air conditions.
- ABC software optimizes conditions for drying.
- Drying progresses through gradual, efficient stages.
- ABC software maximizes efficiency and quality.
- Each section of the installation can operate independently.

ABC-SOFTWARE

THE BRAINS OF YOUR DRYING INSTALLATION

Set, automate, and monitor your optimal drying process. Complete with log files, for analysis.



User Friendly

- Example of a ABC-system with one drying room, 1 Air Handling Unit and 1 heatpump
- All current temperature and humidity values are shown
- On each of the buttons can be clicked the show more information or set variables
- ABC-Software also offers an alarm module, that's send alarms of the ABC via SMS and email

Tailored & Automated


The ABC-software has been developed over the last 2 decades and is used in a wide variety of agricultural drying processes. The ABC-Software is always tailored to the specific project.

- ABC-Software offers insight into all variables via sensors
- Monitors the drying process continuously
- Example on the right of a 5 stage drying process: Time, Absolute Humidity, temperature and airflow can be set for each stage individually
- Multiple drying programs can be saved in the ABC-processor



ABC Log Program

- The ABC logs all data points on an SD card and on the connected PC
- All values (hundreds per drying system) can be added to the log program, to analyze the drying process
- Exporting data to Excel is possible



KEY POINTS

- Tailored to your drying operation
- Consistent outcomes with custom drying pre-sets
- Complete control and insight over all variables
- Manageable remotely with the ABC PC software
- ABC Log Program for analysis and storage of your drying process

TRAY DRYING

OPTIMAL CONTROL WITH MINIMAL FOOTPRINT



8 DRYING TABLE

- KG** 7 - 10
- m²** 0.5
- ABC** Compatible
- GMP** Compatible


10 DRYING CABINET

- KG** 7 - 24
- m²** 2.5 - 6
- ABC** ABC
- GMP** Compatible




12 MOBILE DRYING PALLETS

- KG** 40 >
- m²** 7.5 >
- ABC** ABC
- GMP** Compatible



14 DRYING CELL

- KG** 75 - 90 >
- m²** 9 >
- ABC** ABC
- GMP** Compatible



16 DRYING CONTAINER

- KG** 20FT 100 40FT 250
- m²** 14
- ABC** ABC
- GMP** -

HANG DRYING

TRADITIONAL METHOD WITH MODERN TECHNOLOGY

GMP HANG DRYING


20

KG 40 >

m² 20 >

ABC

Certified



PREFAB HANG DRYING

21

KG 25

m² 9

ABC

Compatible



22



HANG DRYING CELL

KG 40 >

m² 20 >

ABC

GACP



23


DRYING CONTAINER

KG 40FT
100

m² 14

ABC

GACP



25

HEAT PUMPS

26

OTHER PRODUCTS

27

RESEARCH PARTNERS

28

PARTNERS

CAN-G HANG DRYING



24

KG 8-10

m² 0.65

Compatible

GACP





CANNABIS-DRYING.COM
DRIVEN BY INNOVATION

TRAY DRYING

SPACE EFFICIENT
CONTROLLED OUTCOMES
GMP & GACP



TRAY DRYING

THE SANDWICH UNIT

To get the most homogeneous drying result we use a Top-Down drying principle with clean air.


To ensure homogeneous airflow through the product, we have designed the 'sandwich unit'. It consists of two stacks of our Canna-trays and two types of filters on the bottom and on top. Altogether, this creates an airtight unit which is placed in our various tray drying systems.

Buildup of the Sandwich-Unit


A: Canna-Trays




B: HEPA Filter




C: Filter Pad



SANDWICH BUILD UP



TOP-DOWN VENTILATION




TRAY DRYING

THE SANDWICH UNIT

To get the most homogeneous drying result we use a Top-Down drying principle with clean air.

Canna-Trays

- Can be filled with bucked or wet trimmed product
- 140–200 grams of dry product
- 600 x 400 x 60 mm
- Easily stackable
- Foodsafe ABS thermoplastic
- Antistatic




HEPA-Filters

- 600x800x45 mm
- Filter class H13
- Filters 99.95% of all particles larger than 0.3 micron
- Ensures clean drying

Sandwich-Unit

- HEPA-filter on top and bottom
- 2 stacks of Canna-Trays
- Max. 25 high per stack
- Product is safe in a 'cleanroom' environment
- Used in our various tray drying installations.



KEY POINTS

- Cleanroom environment
- Homogeneous airflow through product
- Minimal footprint
- 7–10 kg per sandwich unit
- Food grade materials

DRYING TABLES

MOBILE & SPACE EFFICIENT

To get the most homogeneous drying result we use a Top-Down drying principle with clean air.



Drying table

- Our drying tables are a very space efficient way, that uses our top-down drying principle.
- **Max. 10KG** can be dried on a space of **0.5M²**
- Stainless steel table on wheels, to make the easily maneuverable

Ventilator

- Ventilator in the bottom, to ensure top-down airflow
- Fans are plug and play
- Adjustable fan speed, per table individually



Capacity

- Max. 50 trays on a single table
- Tables can be used in an existing drying room, to improve the KG's per M² and get a homogeneous drying result

Conditioning & ABC

- Can be delivered with Air Handling Units
- Compatible with ABC-software (if we supply the Air Handling Unit)

KEY POINTS

- Upgrade your current drying room capacity
- Homogeneous drying results
- Compatible with ABC-Software when using our Air Handling Units

DRYING CABINET

PLUG & PLAY CLEANROOM DRYING

COMPACT DRYING SOLUTION FOR SMALL BATCHES OF FLOWERS

The drying cabinets are our compact solution to dry small quantities of cannabis.

They are mainly used in R&D facilities or smaller producers.

A single, double and triple version of the cabinet is available.

- Each drying cabinet has its own Air Handling Unit
- In case of GMP all documentation (IQ, OQ, PQ, SOP's for cleaning and using) is included
- ABC-Processor for a perfect drying result

SINGLE CABINET 7 - 10 KG



DOUBLE CABINET 14 - 20 KG



TRIPLE CABINET 21 - 30 KG



DRYING CABINET

PLUG & PLAY CLEANROOM DRYING

COMPACT DRYING SOLUTION FOR SMALL BATCHES OF FLOWERS


Air Handling Unit

Including

- Adsorption dryer
- Cooler
- Flow sensor
- Multiple valves
- Tube fan
- Exhaust channel with regeneration heat



Working Principle



- The ventilator (D) pulls process air (1) through Canna-Trays (A) and filters (B&C).
- The air (2) absorbs moisture from the cannabis.
- Some air (3) recirculates, while the rest (4) moves to the conditioning unit (F).
- In the conditioning unit (F), moisture is removed, and temperature is adjusted.
- Controlled air (5) returns via tube (G), mixes with process air (3), and continues drying at the desired temperature.

KEY POINTS

- Automatic control with the ABC-software
- Dedicated conditioning unit
- Cleanroom environment, GMP ready
- Homogeneous airflow
- 7-10 kg dry in single cabinet up to 30 kg in triple

MOBILE DRYING PALLET

MODULAR MOBILE DRYING UNITS

THE STANDARD FOR SPACE EFFICIENT DRYING, BOTH ON GACP OR GMP LEVEL

Complete Installation

Mainly used by larger GMP/GACP growers. In case of GMP all documentation (IQ, OQ, PQ, SOP's for cleaning and using) is included

One pallet dries up to 40kg and multiple pallets can be placed in one drying room.

If growers want to expand their cultivation site, but don't want to expand their Post-Harvest building, rebuilding to the Mobile Drying Pallet system is a good option.



Up to 200kg Dry per 30m2

- Each pallet is placed against a ventilation plenum
- The airflow and conditions are automatically controlled by the ABC-Software
- 4 sandwich unit stacked on one pallet
- 200 trays per pallet
- Up to 200kg of dry product on a surface of 30M2

Air Handling Unit

Air handling unit consists of:

- Heating & cooling coil
- Ventilators
- Switchboard
- Pumps
- Extra HEPA filtration
- Multiple sensors

Hot & Cold water is supplied to the Air Handling Unit by a heatpump/chiller, for more information about our heatpumps/chillers see page: 16




KEY POINTS

- Automatic control with the ABC-software
- Scalable drying system
- Increase your current drying capacity & consistency
- Suitable for GMP including all documents
- Easy internal logistics
- Tailored drying capacity

MOBILE DRYING PALLET

MODULAR MOBILE DRYING UNITS

THE STANDARD FOR SPACE EFFICIENT DRYING, BOTH ON GACP OR GMP LEVEL



Complete Installation


Each Mobile Drying Pallet is placed against each own ventilation plenum.

The plenums suck the air Top-Down through the Pallets with product.

Fan speed can be adjusted for each plenum individually.

How Does it Work

- The Mobile Drying Pallet (A) with Canna-Trays (B) and HEPA-filters (C) is placed against the Plenum.
- The ventilator in the Plenum (E) is turned on and sucks the process air (1) through the trays.
- The air (2) goes through a partition wall via another set of filters (F) towards the Air Handling Unit (G).
- In the Air Handling Unit water is condensed out of the air, by cooling it down, later the air is reheated and goes back into the drying room (3) where it mixes with the other process air (4)



Heat Pump / Chiller

To supply hot & cold water to the Air Handling Unit, a heat pump is necessary.

KEY POINTS

- Automatic control with the ABC-software
- Scalable drying system
- Increase your current drying capacity & consistency
- Suitable for GMP including all documents
- Easy internal logistics
- Tailored drying capacity

DRYING CELL


LARGE SCALE SPACE EFFICIENT DRYING

For large scale grow operation with a lot of production, this solution provides max. capacity at min. m2

Drying cells

The drying cells are mainly used by large scale recreational growers or CBD producers.

A forklift is essential in this system, as the drying pallets are placed vertically above each other, making it a very space efficient system.




High Capacity

- Multiple drying cells can be placed next to each other
- > 75-90kg of dry product per drying cell
- Cells with 2, 3 or 4 pallets above each other can be built
- Airflow is set for each pallet individually
- Standard size: 3560 (L) x 1730 (w) x 5240 (h)
- Sizes can be tailored to the demands of the customer
- Modular system expandable to desired capacity

Ventilation Pallet

- Stainless steel pallet
- Max. 160 trays per pallet
- 25-32kg per pallet
- Max 4 pallets above each other in a cell




DRYING CELL

LARGE SCALE SPACE EFFICIENT DRYING

For large scale grow operation with a lot of production, this solution provides max. capacity at min. m2

Working Principle

- The ventilator (G) pulls process air (U) through Canna-Trays (A), filters (B), and the ventilation pallet (C).
- The air dries the cannabis, increasing its absolute humidity.
- Some moist air (W) enters the condensation unit (H), where it cools and water condenses.
- The cooled air (Z) mixes with process air (Y).
- The blended air passes through the heater (I) to reach the desired temperature.



Heat Pump / Chiller

To supply hot & cold water to the Air Handling Unit, a heat pump is necessary.

KEY POINTS

- Modular capacity
- GACP system
- Efficient drying and storage for large production
- Easy internal logistics with forklift
- Consistent product outcomes

TRAY DRYING CONTAINER

PLUG & PLAY, LARGE CAPACITY

40 FT or 20 FT container, as a stand alone drying unit. Outfit your cultivation with the drying it needs

Stand Alone Drying Unit


For facilities that lack the space for drying rooms, drying in containers might be the right solution. All the hardware is built in a 20 or 40 foot container.

The containers can be used in GACP or recreational farms.




20 FT Container

- 85-120kg dry product per container
- 12 drying tables per container
- Temperature, humidity & airflow control per container



40 FT container

- 230 – 330 kg dry product per container
- 33 drying tables per container




MULTIPLE CONTAINERS

If multiple containers are installed, one will have the central heat pump that supplies hot and cold water to the other containers as well

TRAY DRYING CONTAINER

PLUG & PLAY, LARGE CAPACITY

20FT or 40 FT container, as a stand alone drying unit. Outfit your cultivation with the drying it needs



2 versions

One with heat pump for hot and cold water
One with a chiller for only cold water and electrical heater
Heat pump with hot and cold water is more energy efficient but a higher investment


Components:

- Drying tables
- Filters
- Cooling coils
- Electrical heaters / heating coil
- Fans in Air Handling Unit
- Heat pump / chiller
- Control panel



How does it work

The ventilator of the drying table (A) sucks the air (1) top-down through the canna-trays (B) and filters (C). Part of this air (2) is sucked via an air channel towards the air handling unit (D). In the Air Handling Unit water condensates out of the air by the cooling coil (E). Later the air is reheated by electrical heaters (F) or a heating coil and brought back into the drying room (3)



KEY POINTS

- 105 to 150 kg capacity
- GACP-certified
- Plug and play system
- Expand or improve your drying process
- Easy to use



CANNABIS-DRYING.COM
DRIVEN BY INNOVATION

HANG DRYING

HOMOGENEOUS AIRFLOW
OPTIMAL CONDITIONS
GMP & GACP



HANG DRYING

AIRFLOW PRINCIPLES


GMP-certified hang drying cell, with optimal control over conditions and ideal airflow distribution

Marilyn Monroe Effect

Our GMP hang drying rooms work with a bottom-up airflow.

Because the plant is conic, and we want to get under the 'skirt' of the plant, we call this the Marilyn Monroe effect.

Designing the airflow like this, will lead to a homogeneous drying result, with regards to moisture content




Benefits of Bottom-Up

- All air can be filtered
- Completely homogeneous drying result
- Lowest chance of mold
- Curing can be skipped
- Hardware outside of the drying room, making it GMP-compatible

GACP Drying Airflow

For our GACP / recreational systems, we use a different airflow. Large fans blow they are straight to the floor, whereafter it bends of to the sides, going horizontally through the product.


In GACP/recreational drying systems, it is possible to hang hardware inside of the drying room, making this set-up possible.



GMP HANG DRYING CELL

MEDICAL HANG DRYING WITH OPTIMAL AIRFLOW

GMP-certified hang drying cell, with optimal control over conditions and ideal airflow distribution




High Capacity

- Rooms are filled with hang drying racks
- Perforated cleanroom floor
- Large ventilator in the sidewalls
- Air channels on both side, top and bottom of the drying room
- E11 filtration in the sidewalls, to filter the air during each circulation
- 1 m/s airflow throughout the complete room
- Required height: 4000mm
- Modular system

Working Principle

- Bars/drying racks are placed in the hang drying cell (A).
- Ventilator (B) pulls air bottom-up through the hanging plants.
- Conditioning unit (C) removes moisture via condensation and reheats the air.
- Filters (D) on both sides remove dust, pollen, mold, mildew.
- Perforated floor (E) and ceiling (F) ensure even air distribution.




KEY POINTS

- Modular capacity
- GMP system
- Optimized airflow
- Ideal conditions with full control
- Consistent product outcomes

PLUG & PLAY HANG DRYING CELL

PLUG & PLAY HANG DRYING GMP OR GACP

Standard capacity of 25 kg dry. Applicable for GMP, GACP or Recreational companies



25kg Capacity

- 25 kg of dried product
- Perforated floor
- Perforated ceiling
- Exterior from sandwich panels
- ABC-controlled

Dimensions: 3850 (L) x 2400 (W) x 3700 (H) mm



Standard capacity

The plug & play hang drying cell makes use of a bottom-up airflow and is a plug and play system.

The system can be used in GMP, GACP or recreational companies



Air Handling Unit

Version available with heatpump for hot and cold water, and a version available with only a chiller + electrical heaters.

Filtration level of the system can be discussed, depending on the demands of the customer.

KEY POINTS

- 25 kg capacity
- GMP, GACP, or Rec certified
- Plug and play system
- Optimal conditions
- Automated drying process

REC HANG DRYING CELL

TRADITIONAL HANG DRYING WITH OPTIMAL CONDITIONS

Perfect straight forward drying installation for traditional hang drying with optimal conditions

Ideal Rec Drying

For the recreational market we have developed a different kind of hang drying setup.

Large ventilators are hung inside the drying room, the fans blow the air straight towards the floor, and from there the air spreads horizontally through the plants.



> 40kg Capacity


- Scalable system
- Design can be tailored to the clients wishes
- 1 m/s airflow at each part of the plant
- Airflow can be adjusted throughout the drying process.
- Drying racks can be stacked on top of each other, to make use of the height

Working principle

The conditioned air (1) is being picked up by the large ventilators (A).

The ventilators blow the air straight down (2), afterwards it bends of horizontally (3) through the racks (B) with hanging plants.

Part of this air is goes via an air channel (4) back to the Air Handling Unit.



KEY POINTS

- Optimal drying conditions
- Designed based on your drying needs
- Scalable to the capacity necessary
- Automated drying process

CONTAINER HANG DRYING

PLUG & PLAY SOLUTION FOR HANG DRYING

40 FT container, as a stand alone drying unit. Outfit your cultivation with the drying it needs



Stand Alone Drying Unit

For facilities that do not have a drying room available and prefer hang drying, container drying can be the right solution.

All hardware is built in a container.

The containers can be used in GACP or recreational farms

Components:

- Stainless steel drying racks
- Airducts
- Cooling coils
- Heating coils or electrical heaters
- Ventilators
- Filters
- Integrated heat pump or chiller



40 FT container

- 12 drying racks
- 50-60 kg of dry product

Airflows in both of the systems work the same as in the recreational hang drying systems.

20 FT container

- 4 drying racks
- 15-20 kg of dry product



MULTIPLE CONTAINERS

If multiple containers are installed, one will have the central heat pump that supplies hot and cold water to the other containers as well

CAN-G HANG DRYING CARTS

SPECIAL SOLUTION FOR GERMAN SOCIAL CLUBS

Small scale portable hang drying solution specially designed for the social club capacity

Easy in use

For the German Social Club system we offer a small scale drying solution.

Cannabis can be hung in these stainless steel carts, to dry straightly after harvest.



Portable Hang Dryer

- 2-3 KG of dry product per cart
- 800 (L) x 800 (W) x 2000 (H) mm
- Filtration on ingoing + outgoing air possible
- Filtration grade to be discussed
- Ventilator on top, for bottom-up airflow
- Adjustable fan speed


Front can be closed, to make the unit airtight



Configurations

Drying can be done in multiple ways:

- In a small drying room (with our AHU)
- In a small drying room with it's own HVAC
- Immediately after harvest in the growing area, to make use of the HVAC of the growing room.



KEY POINTS

- Portable drying unit
- Very flexible in use
- Modular capacity with dedicated airflow
- 2-3kg capacity per 0.64m²

HEAT PUMPS & CHILLERS

THE STANDARD FOR CONDITIONING YOUR AIRFLOW

Perfect straight forward drying installation for traditional hang drying with optimal conditions



Hot & Cold Water Supply

To supply hot and cold water to the AHU's in our drying installation, we supply diverse heatpumps and chillers.

The systems always differ a bit, depending on the need KW's and location of the project.

Heat pumps

- Supply hot and cold water
 - Most energy sufficient solution
 - Residual heath can be escorted out with a dry cooler
 - Residual heath can also be used in other parts of your facility, for example to heath up a RO-vessel
 - Our support team can log in to the pumps from distance, making troubleshooting very convenient
 - Pumps and buffer vessels integrated
- Freon or Propane can be used as a refrigerant



Chillers

- Supply only cold water
- Electrical heating in the AHU necessary
- For smaller projects, with a lower KW-demand, investment is lower with these chillers
- Residual heath can be escorted out with a dry cooler
- Pumps and buffer vessels integrated

KEY POINTS

- Perfectly aligned with your drying needs
- Energy efficient drying method
- Precise control over air conditions
- Low moisture content at low temperatures

OTHER PRODUCTS

AND THERE IS MORE IN STORE

We also supply a couple additional products, that have a good synergy with our drying systems.



Moisture Content Analyzers

The halogenic dryers are very handy to quickly give an indication of the moisture content in the product. Especially during the first couple drying cycles, these devices are very handy to finetune the drying process.

Within a couple minutes the MCA will tell you at what moisture content the product is, with a precision up to 0.001 Grams.

Tray washers

As cannabis is a sticky product, the canna-trays need to be cleaned after every drying cycle. Our smaller scale customers do cleaning by hand, but once the installations become larger, tray washers can be a good solution.

- Various capacities available: 150,350 and 550 trays per hour
- Work with an alkaline cleaner
- Efficient systems in regards to power & water consumption.



Other Post-Harvest Equipment

We also have the expertise to recommend you other post-harvest equipment, via our network of suppliers. We can give you advice on trimming, bucking, HVAC, cleanroom and extraction equipment

RESEARCH PROJECTS

EXPANDING KNOWLEDGE AND RESEARCH

Scientific research to improve our drying systems and advance cannabis research

Additional products

Cannabis-drying.com always seeks a way to improve their systems.

That's why we are collaborating in two cannabis research projects in the Netherlands



MCPIR

MCPIR is a research project in Bleiswijk, formed by Delphy. It is an indoor growing practice with various members like: DLVGE, Brightlabs, Paradise-seeds, Mills nutrients, Koppert, CanFilters, Priva, Fluence, Cannavigia, SpexAI & Van Vliet Containers.

One of our drying cabinets is placed at the research center, where we try to perfectionate the drying process even more

Cultivation for Compounds (CFC)

The CFC research project can be found in Honselersdijk at the location of Verify, near The Hague. The project has a strong connection with the World Horti Center and is led by our trusted partners Cultivators.

Participants of the research are: Fluence, Groda, F1 Seed Tech, Cannavigia, Priva, DCM, Biobest, Twister, MJtech, Phormium, Brightlabs, Buffalo Extraction Systems, KG systems, van Dijk Heating & Perfect Plants



PARTNERS

PCS-NL

PCS-NL is our partner in EU GMP compliance for medicinal cannabis.



Pharmaceutical
Consultancy
Services

What PCS-NL Does

Founded in 1990, PCS-NL has helped the international pharmaceutical industry with GMP certification and GMP training.

If you want to export medicinal cannabis products to the EU, you have to implement the EU GMP. PCS-NL knows the EU GMP inside out. Using their experience in the pharmaceutical- and medicinal cannabis industries, they implement the EU GMP in your organization, from A to Z. PCS-NL trains your people, writes your documents, and ensures that your process is under control. You will achieve consistent and medicinal quality. The core business of PCS-NL is to transfer their GMP knowledge and experience to your team. When PCS-NL is done, you will be EU GMP compliant and ready for inspection. The inspection is the last step before you can export your products to the European Union.

PCS-NL & Cannabis-Drying.com

PCS-NL has helped Cannabis-Drying.com to get their products to a GMP-level. The products from Cannabis-Drying.com come with all the necessary IQ, OQ, PQ & SOP's for cleaning and operating the drying installations.

Want to know more?

- ✉ info@PCS-NL-nl.com
- ☎ +31(0)182 503 280
- 🌐 www.PCS-NL-nl.com

CANNABREEZE

CannaBREEZE is your trusted partner for cannabis cultivation and processing.



What Does CannaBreeze Do

From plant to medicine, we provide expert guidance and solutions to help you succeed in the industry. Compliant with EU-GMP guidelines, our consulting, expertise, and equipment cover every aspect of cultivation, processing, and packaging. Whether you're starting or improving, we're here to meet your requirements and maximize your potential in the growing cannabis market.

Post-Harvest: Ensuring Quality and Compliance

We provide a variety of post-harvest solutions, including drying, curing, trimming, sorting, decontamination, milling, extraction, winterization and dewaxing, solvent recovery, distillation, centrifugal partition chromatography (CPC), analytical instruments, and packaging. Our goal is to ensure that your final products meet the highest standards of quality and safety.

Cannabreeze & Cannabis-Drying.com

Cannabreeze is Cannabis-Drying.com's exclusive distributor in South-East Europe. Together we help the client to get the best drying system, according to their demands.

Want to know more?

Nick Brousianos, CEO

- ✉ info@cannabreeze.co
- ☎ +30 2102208246
- 🌐 www.cannabreeze.co
- 📍 CannaBREEZE, Thoukididou 8 164 52
– Athens Argiroupoli – Greece

PARTNERS

GREEN GROWS THAILAND

Green Grows is our distributor in Thailand.



What Does Green Grows Do

Green Grows is our distributor in Thailand. The company is founded in 2019, because they expected cannabis legalization to happen in Thailand.

They were right with their predictions and started helping hundreds of facilities with selecting top quality equipment.

They supply everything that is needed from irrigation systems to trimming machines and from fertilizers to drying equipment.

Want to know more?

✉ contact@greengrows.com

🌐 www.greengrows.com

BOSMAN VAN ZAAL SOUTH AFRICA

Bosman Van Zaal South Africa is a leading provider of agricultural solutions



What Does Bosman van Zaal Do

Bosman Van Zaal offers superior greenhouse systems and cutting-edge technologies customised to the different demands of South African farmers. As a member of Bosman Van Zaal International, we combine global experience with a strong local presence, guaranteeing that our clients receive unrivaled support and innovative solutions.

Bosman Van Zaal South Africa is the distributor of Cannabis-drying.com in South Africa.

Our Services and Products

Bosman Van Zaal South Africa specialises in a wide range of greenhouse systems and agricultural technology that promote efficiency, sustainability, and high yields.

Greenhouse Climate Control

We provide integrated solutions for creating and maintaining optimal growing environments such as:

- Heating systems that are efficient in regulating temperature.
- Cooling systems offering advanced cooling methods for climate control.
- Ventilation in providing adequate air circulation for healthy crops.
- Control systems offering smart technologies that enable real-time monitoring and automation.

Growing Systems

Our ingenious growing solutions are designed to maximise both space and production by offering:

- Gutters that are long-lasting structures for effective drainage and plant support.
- Table systems providing adaptable and customisable growing platforms.
- Vertical racking systems offering space-saving alternatives for high-density cultivation.

Want to know more?

Juan Fourie

✉ j.fourie@bosmanvanzaal.com

☎ +27 72 576 2626

🌐 bosmanvanzaal.co.za

📍 53 Riverside Road, Driefontein
Muldersdrift, Johannesburg



CANNABIS-DRYING.COM
DRIVEN BY INNOVATION